

NATIONWIDE
INDUSTRIES™



WOOD

FENCE HARDWARE

HINGES / LATCHES / DROP RODS / HANDLES / ACCESSORIES

nationwideindustries.com

TABLE OF CONTENTS

1 WOOD FENCE HINGE

'T' HINGE
SCREW HOOK & STRAP HINGE
DOUBLE STRAP HINGE
HALF STRAP HINGE
BUTTERFLY HINGE
HEAVY DUTY SEALED BEARING HINGES

4 CORNERSTONE®

CORNERSTONE® FULLY ADJUSTABLE HINGE
CORNERSTONE® HORIZONTALLY ADJUSTABLE HINGES
CORNERSTONE® FIXED POSITION 4" HINGE
CORNERSTONE® 2 FULLY ADJUSTABLE HINGE

5 SCREW HOOK & EYE HINGES

6 WOOD FENCE RUSTIC SERIES AND HAMMERED BRONZE

7 WOOD FENCE LATCHES

LATCHES
KEYSTONE® SERIES
KEYSTONE® X-EXTERNAL MOUNT LATCH
KEYSTONE® PANICLATCH
MANTA® MAGNETIC LATCH

13 WOOD FENCE LATCHES AND GATE KITS

LOCK THRU™ LATCH
WALK GATE KITS
DRIVE GATE KITS

14 WOOD GATE DROP RODS, GATE WHEELS AND CAPS

DROP RODS
GATE WHEELS
COPPER PLATED STAINLESS STEEL CAP
PLASTIC CAPS

15 PREMIUM CAPS FOR WOOD POSTS

MITER-LESS WOOD CAPS
COPPER AND STAINLESS STEEL CAPS
METAL-WOOD COMBINATION
TRUE SIZE CAPS

16 BRACES, FRAMES, BUMPERS AND CLOSERS

GATE BRACES FOR VINYL AND WOOD FENCES
WOOD GATE FRAME
NYLON HANDLE WITH BUMPER
NYLON GATE BUMPER
HYDRAULIC GATE CLOSERS
SHOTGUN® GATE CLOSER

17 WOOD FENCE HANDLES AND ACCESSORIES

Zip-Latch® Pool Gravity Latch. Nautilus® Self-Closing Hinges. Cornerstone® The Million Cycle Self-Closing Nylon Hinges. Keystone® Heavy Duty Key-Lockable Latches. Keystone® X eXternal Mount Key-Lockable Latches. AquaLatch® Magnetic Pool Safety Latches. GateShare® Multi-Lock Latch. Keystone® PanicLatch™ Self-Locking PanicLatch™. Manta® Magnetic Nylon Latches. OrnaMAG® Magnetic Metal Latches. Trident™ Magnetic Gate Safety Latches. ArmorLatch® Magnetic Latches. LockThru® Wood GateSwing Latches. V-Notch™ Hinges and Latches. Shotgun® Gate Closers.

8" ORNAMENTAL 'T' HINGE

NW38937Q (WI-OTH-8)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 43 lbs

NW38937FQ with Fixed Pin

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 43 lbs

NW38937AQ (WI-OTH-8-UA) Un-Assembled

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 43 lbs

NW38937MDQ

- ▶ Zinc plate steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 20 pair per case @ 44 lbs



i
Also Available
in Hammered
Bronze



8" ADJUSTABLE SELF-CLOSING CONTEMPORARY 'T' HINGE

NW6332

- ▶ Zinc plate steel with black finish
- ▶ Easy tension adjustment
- ▶ Easy to hold adjustment pin
- ▶ 1-3/4" lag screws with black finish
- ▶ 20 pair per case @ 42 lbs



10" ORNAMENTAL 'T' HINGE

NW38933MDQ (WI-OTH-10-CP) with Cotter-Pin

- ▶ Zinc plate steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 10 pair per case @ 44 lbs

NW38933FMDQ (WI-OTH-10-FP) with Fixed Pin

- ▶ Zinc plate steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 10 pair per case @ 44 lbs



12" ORNAMENTAL 'T' HINGE

NW38935Q

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 10 pair per case @ 52 lbs


NW38935MDQ (WI-OTH-12-FP)

- ▶ Zinc plate steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 10 pair per case @ 52 lbs

8" ORNAMENTAL HEAVY DUTY SELF-CLOSING 'T' HINGE

NW38937HDQ

- ▶ Easy tension adjustment
- ▶ Easy to hold adjustment pin
- ▶ 20 pair per case @ 52 lbs



Massive
Spring
and Barrel



i
More
Closing
Power

8" CONTEMPORARY 'T' HINGE

NW38945Q (WI-CTH-8)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 54 lbs

NW38945MDQ

- ▶ Zinc plate steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 20 pair per case @ 54 lbs

NW38945SS (WI-CTH-8-M-SS)

- ▶ Same as NW38945Q but in stainless steel with mill finish



i
Also Available
in Hammered
Bronze



10" CONTEMPORARY 'T' HINGE

NW38947Q (WI-CTH-10)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 10 pair per case @ 32 lbs

NW38947MDQ

- ▶ Zinc plate steel with black finish
- ▶ 3" thru-bolts for gate side
- ▶ 3" lag screws for fence side
- ▶ 10 pair per case @ 32 lbs



8" TRADITIONAL 'T' HINGE

NW38941Q (WI-TTH-8)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 56 lbs

10" TRADITIONAL 'T' HINGE

WI-TTH-10

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 10 pair per case @ 41 lbs



WOOD FENCE HINGES

BLUNT 'T' HINGE

NW6172-BK

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 40 lbs



6" UNIVERSAL 'T' HINGE

NW36576/6-BQ (WI-THT-6BK)

- ▶ Zinc plate steel with black finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 34 lbs

NW36576/6-M

- ▶ Zinc plate steel finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 34 lbs



NW36576/6-71

- ▶ Zinc plate steel finish
- ▶ Bulk-packed without screws
- ▶ 50 each per case @ 43 lbs

NW36576/6-ZPBB (WI-THT-6BK-BB) with Brass Bushing

- ▶ Zinc plate steel with black finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 30 lbs

8" UNIVERSAL 'T' HINGE

NW199 (WI-THT-8BK)

- ▶ Zinc plate steel with black finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 42 lbs

NW199-76 (Special order only)

- ▶ Zinc plate steel finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 42 lbs

NW199-ZPBB (Special order only) with Brass Bushing

- ▶ Zinc plate steel with black finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 43 lbs



8" ORNAMENTAL SCREW HOOK & STRAP HINGE



NW38934Q

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 40 lbs

8" ORNAMENTAL DOUBLE STRAP HINGE



NW38936Q (WI-ODSH-8)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 52 lbs

8" ORNAMENTAL HALF STRAP HINGE



NW38938Q (WI-O-1/2SH-8)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 41 lbs

NW38938FQ with Fixed Pin

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 41 lbs

NW38938A Un-Assembled

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 40 lbs

6" UNIVERSAL DOUBLE STRAP HINGE



NW36579/6-M

- ▶ Zinc plate steel finish
- ▶ 2 1/2" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per case @ 35 lbs

8" CONTEMPORARY DOUBLE STRAP HINGE



NW38944Q (WI-CDSH-8)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 61 lbs

NW38944SS (WI-CDSH-8-M-SS)

- ▶ Same as NW38944Q but in stainless steel with mill finish



i
Also Available
in Hammered
Bronze

10" CONTEMPORARY DOUBLE STRAP HINGE

NW38942Q (WI-CDSH-10)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 10 pair per case @ 35 lbs

8" TRADITIONAL DOUBLE STRAP HINGE



NW38940Q (WI-TDSH-8)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 54 lbs

10" TRADITIONAL DOUBLE STRAP HINGE

NW38946Q (WI-TDSH-10)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 10 pair per case @ 37 lbs

8" CONTEMPORARY BUTTERFLY HINGE



NW38943Q (WI-CBH-8)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 54 lbs

8" TRADITIONAL BUTTERFLY HINGE



NW38943T

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 54 lbs

HEAVY DUTY SEALED BEARING HINGES

GREAT OPTIONS FOR COMMERCIAL GATES

- ▶ Assembled in the USA
- ▶ Never needs lubrication
- ▶ Horizontal adjustability



Black Aluminum
Bolt-on shown above

FULL CATALOG AVAILABLE WITH DETAILS

Options Per Each Hinge Side

- ▶ Steel or Aluminum
- ▶ Bolt-on or Weld-on application
- ▶ Black or Mill finish

i
28 SKUs
Available

Mill Steel
Weld-on
shown right



"T" HINGE



NWSS-HDT-SC-BK Black w/stainless steel screws

NWSS-HDT-SC-BKD Black w/stainless steel self-drilling screws


- ▶ Stainless steel, powder coated
- ▶ Easy tension adjustment
- ▶ Allen wrench included
- ▶ Larger easy to hold pin
- ▶ 12 pairs per case @ 40 lbs

CORNERSTONE® SELF-CLOSING NYLON HINGES

CORNERSTONE® SERIES SELF-CLOSING NYLON HINGES

PATENTED

CORNERSTONE® FULLY ADJUSTABLE HINGE




CH300F-BK Black w/stainless steel screws
CH300F-WH White w/stainless steel screws
CH300F-SD-BK Black w/stainless steel self-drilling screws
CH300F-SD-WH White w/stainless steel self-drilling screws

- ▶ Both flanges: 4.25"(H) x 2.88"(W) x 1.50"(D)
- ▶ Back plates allow horizontal and vertical adjustability
- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 42lbs



PATENTED

CORNERSTONE® HORIZONTALLY ADJUSTABLE HINGES




CH300H-BK Black w/stainless steel screws
CH300H-WH White w/stainless steel screws
CH300H-SD-BK Black w/stainless steel self-drilling screws
CH300H-SD-WH White w/stainless steel self-drilling screws

- ▶ Both flanges: 4.25"(H) x 2.88"(W) x 1.25"(D)
- ▶ Produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for tension adjustment
- ▶ 20 pair per case @ 26lbs



PATENTED

CORNERSTONE® FIXED POSITION HINGES



CH300N-BK Black
CH300N-WH White
▶ Both flanges: 4.25"(H) x 2.88"(D) x 1.25"(D)
▶ Stainless steel screws included
▶ 20 pair per case @ 31 lbs




Point-Load
Tested over
950 lbs
per pair

PATENTED

NEW! CORNERSTONE® 2 FULLY ADJUSTABLE HINGE



- ▶ Horizontally adjustable up to 1.0"
- ▶ Vertically adjustable up to 1.0"
- ▶ Fits both right and left-hand applications
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ 10 pair per case @ 30lbs



Point-Load
Tested over
2000 lbs
per pair

C2H300F-BK Black w/stainless steel screws
C2H300F-WH* White w/stainless steel screws
C2H300F-SD-BK Black w/stainless steel self-drilling screws
C2H300F-SD-WH* White w/ stainless steel self-drilling screws
*Special Order



6" HEAVY DUTY STRAP WITH 1/2" SCREW HOOK

NW284-76

- ▶ Zinc plate steel finish
- ▶ 12 pair per case @ 21 lbs



8" HEAVY DUTY STRAP WITH 5/8" SCREW HOOK

WI-HDSH-5/8

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 20 pair per case @ 30 lbs

12" HEAVY DUTY STRAP WITH 5/8" SCREW HOOK

NW255/38931-26 (WI-HD-STRAP-12)

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws with black finish
- ▶ 12 pair per case @ 42 lbs

NW255-71

- ▶ Zinc plate steel finish
- ▶ Without screws – bulk packed
- ▶ 50 each per case @ 42 lbs

NW255/38931-GV

- ▶ HDG finish
- ▶ 1 3/4" lag screws with HDG finish
- ▶ 12 pair per case @ 42 lbs



1/2" X 4" SCREW HOOK & EYE HINGE

NW38603 (WI-SHIH-1/2x4)

- ▶ Zinc plate steel finish
- ▶ 50 pair per case @ 56 lbs

NW38603-BK (WI-SHIH-1/2X4-B)

- ▶ Black finish
- ▶ 50 pair per case @ 56 lbs

NW38603-GV (WI-SHIH-1/2x4-G)

- ▶ HDG finish
- ▶ 50 pair per case @ 56 lbs



5/8" X 5" SCREW HOOK & EYE HINGE

NW38931

- ▶ Zinc plate steel finish
- ▶ 20 pair per case @ 56 lbs

WOOD FENCE RUSTIC SERIES AND HAMMERED BRONZE

NATIONWIDE INDUSTRIES RUSTIC SERIES

12", 16", 20" AND 24" HINGES



RUSH112-BK

- ▶ 12" pair of black hinges
- ▶ 1/2" pin
- ▶ Powder coated finish
- ▶ 10 pair per case @ 59 lbs

RUSH116-BK

- ▶ 16" pair of black hinges
- ▶ 1/2" pin
- ▶ Powder coated finish
- ▶ 8 pair per case @ 50 lbs

RUSH220-BK


- ▶ 20" pair of black hinges
- ▶ 5/8" pin
- ▶ Powder coated finish
- ▶ 6 pair per case @ 55 lbs

RUSH224-BK

- ▶ 24" pair of black hinges
- ▶ 5/8" pin
- ▶ Powder coated finish
- ▶ 4 pair per case @ 45 lbs

* All hinges include stainless steel screws and a carriage bolt with painted head

TWISTED RING LATCH



RUSL1-BK

- ▶ Operates from either side
- ▶ Fits gates up to 5" thick
- ▶ Powder coated finish
- ▶ 10 per case @ 20 lbs

HAMMERED BRONZE

HINGES, LATCHES, KITS, DROP RODS AND HANDLES

Improve the look and value of your whole fence by upgrading the finish on your hardware!



i
Also Available in
Hammered Bronze

- ▶ All hardware is zinc plate steel with hammered bronze finish
- ▶ For specs and photo of hardware shown in black, please view referenced page numbers

Look for the star to quickly identify the Hammered Bronze hardware.

HINGES:

NW38937Q-HBZ

- ▶ See NW38937Q on page 2

NW38945Q-HBZ (WI-CTH-8-HB)

- ▶ See NW38945Q on page 2

NW38944Q-HBZ (WI-CDSH-8-HB)

- ▶ See NW38944Q on page 4

LATCHES:

NW38308Q-HBZ (WI-SPL-HB)

- ▶ See NW38308Q on page 9

NW38310Q-HBZ (WI-CPL-HB)

- ▶ See NW38310Q on page 9

NW38307-HBZ

- ▶ See NW38307 on page 9

KITS:

WI-CWGG-HB (NW38948CQ-HBZ)

- ▶ See WI-CWGG on page 13

NW38949CQ-HBZ

- ▶ See WI-MBDDK on page 13

WI-WWGG-HB (NW38948WQ-HBZ)

- ▶ See WI-WWGG on page 13

NW38949W24-HBZ

- ▶ See NW38949W24 on page 13

DROP RODS:

NW38305-24Q-HBZ

- ▶ See NW38305-24Q on page 14

HANDLES:

NW38398Q-HBZ

- ▶ See NW38398Q on page 17

STANDARD GRAVITY LATCH

NW38204Q (WI-GL-B) Black
 NW38204BZ (WI-GL-BZ) Bronze
 NW38204W (WI-GL-W) White

- ▶ Zinc plate steel
- ▶ Screws included
- ▶ .38" Strike bar with ball tip
- ▶ Pad-lockable
- ▶ 50 each per case @ 27 lbs



NW38204-76Q (WI-GL-Z/P)

- ▶ Zinc plate steel finish
- ▶ Screws with zinc plate finish
- ▶ .38" Strike bar with ball tip
- ▶ Pad-lockable
- ▶ 50 each per case @ 27 lbs

NW38204SSM

- ▶ Same as NW38204Q but in stainless steel with mill finish
- ▶ NW38204NC-76 with Cable
- ▶ Zinc plate steel finish
- ▶ Screws with zinc plate finish
- ▶ With 13" cable, clip and o-ring for access on opposite side of fence
- ▶ .38" Strike bar with ball tip
- ▶ Pad-lockable
- ▶ 50 each per case @ 27 lbs

STANDARD GRAVITY LATCH WITH FLOATING BAR



NW38203Q (WI-GLFB)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ .38" Strike Bar with ball tip
- ▶ Pad-lockable
- ▶ 50 each per case @ 27 lbs

FORK LATCH KIT WITH HANDLE

NW6185-BK (WI-WGFL)

- ▶ Zinc plate steel with black finish
- ▶ Simple to use latch
- ▶ Avoids most sagging problems
- ▶ Built-in handles and gate stop
- ▶ 20 each per case @ 44 lbs



HEAVY DUTY GRAVITY LATCH



NW38338/R (WI-GL-HD)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ .48" Strike bar with 90° bend
- ▶ Pad-lockable
- ▶ 20 each per case @ 28 lbs

NW38338A/R-26 (WI-GL-HDC) Black

NW38338/R-ZP (WI-GL-HDLZ) Mill with Cable

- ▶ Zinc plate steel
- ▶ Screws included
- ▶ With 13" cable, clip and o-ring for access on opposite side of fence
- ▶ .48" Strike bar with 90° bend
- ▶ Pad-lockable
- ▶ 20 each per case @ 30 lbs

HEAVY DUTY GRAVITY LATCH WITH FLOATING BAR



NW38340Q

- ▶ Zinc plate steel black finish
- ▶ Screws with black finish
- ▶ .48" Strike bar
- ▶ Pad-lockable
- ▶ 25 each per case @ 42 lbs

NW38340-M

- ▶ Same as NW38340Q but with zinc plate steel finish

NW38340-CABLE with Stainless Pull Cable

- ▶ Zinc plate steel black finish
- ▶ Screws with zinc plate finish
- ▶ .48" Strike bar
- ▶ Pad-lockable
- ▶ 25 each per case @ 42 lbs

WOOD FENCE LATCHES

90° STRIKE GRAVITY LATCH



NW38204AQ (WI-GLO)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ .38" Strike bar with 90° bend and ball tip
- ▶ Pad-lockable
- ▶ 50 each per case @ 28 lbs

STANDARD POST LATCH

NW38308Q (WI-SPL)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Spring activated release lever
- ▶ Two-sided entry
- ▶ Reversible (right or left handed)
- ▶ Pad-lockable on one side only
- ▶ 20 each per case @ 33 lbs

NW38308Q/38398Q (WI-SPLK)

- ▶ NW38308Q with a 9" standard gate handle
- ▶ 20 each per case @ 40 lbs

NW38308SS (WI-SPL-M-SS)

- ▶ Same as NW38308Q but in stainless steel with mill finish

NW38308NUA-Q

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Spring activated release lever
- ▶ Two-sided entry
- ▶ Reversible (right or left handed)
- ▶ Pad-lockable on two sides
- ▶ Bent handle design
- ▶ 20 each per case @ 33 lbs



Also Available
in Hammered
Bronze

STEEL CONTEMPORARY GATE LATCH

NW38310QS

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Strike flange: 3.12"(W) x 3.5"(H) x 1.38"(D)
- ▶ Latch flange: 1.88"(W) x 5.5"(H) x 1.5"(D)
- ▶ Mounts around corner of post and gate frame
- ▶ Pad-lockable on both sides - Locking slide switch on latch arm
- ▶ Allows entry from both sides
- ▶ Reversible mounting (right or left handed)
- ▶ Easy Opening STOP Design
- ▶ 20 each per case @ 44 lbs



NEW Stop
added for
easier use

CONTEMPORARY POST LATCH

NW38310WQ

- ▶ Larger opening allows for more play of strike bar



NW38310Q (WI-CPL)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ 9" Gate handle
- ▶ Slide-switch lock on opposite side
- ▶ Pad-lockable on both sides
- ▶ 20 each per case @ 43 lbs



Also Available in
Hammered Bronze

ROUND BAR THUMB LATCH

NW283-26

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ 9" Gate handle
- ▶ Round locking lever bar
- ▶ Pad-lockable
- ▶ 25 each per case @ 38 lbs



Improved and designed
to avoid falling out

ORNAMENTAL THUMB LATCH KIT

NW38307 - 6" Lever

NW38306A - 7" Lever

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ 9" Gate handle
- ▶ Locking lever bar is 'flat'
- ▶ 25 each per case @ 37 lbs



Improved and designed
to avoid falling out



Also Available in
Hammered Bronze



FLIP LATCH

NW6169-BK

- ▶ Commercial grade
- ▶ Great for dumpster use
- ▶ Pad-lockable
- ▶ Zinc plate steel with black powder coated finish
- ▶ Stainless steel through-bolt hardware included
- ▶ 10 each per case @ 37 lbs

WI-DGFL

- ▶ Teflon Coated
- ▶ Pad-lockable
- ▶ 12 each per case @ 56 lbs



SLIDE-BAR LATCH

NW38339Q (WI-SBL)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ 3" Throughbolts for latch
- ▶ 1" Screws for keeper
- ▶ Pad-lockable
- ▶ 60 each per case @ 42 lbs

ROUND RAIL LOOP LATCH

NW38301Q (WI-LLRR-1)

- ▶ Zinc plate steel finish
- ▶ Screws with HDG finish
- ▶ 60 each case @ 43 lbs



SPLIT RAIL LOOP LATCH

NW38302Q (WI-LLSR-2)

- ▶ Zinc plate steel finish
- ▶ Screws with HDG finish
- ▶ 60 each per case @ 43 lbs



ALL-PURPOSE LATCH KIT



NW38341-26 (WI-APLK-BK)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ 20 each per case @ 36 lbs

NW38341-GV (WI-APLK-HDG)

- ▶ HDG finish
- ▶ Screws with HDG finish
- ▶ 20 each per case @ 36 lbs

* All kits contain gravity latch with cable



NW-S-Latch-ZP

- ▶ Zinc plate steel finish
- ▶ Screws with zinc plate finish
- ▶ 20 each per case @ 36 lbs

Contains same "U" shape striker bar, "U" shape staple and handle as the All Purpose Latch above. Does not include the gravity latch with cable but instead includes a flat stake keeper.


WOOD FENCE LATCHES

PATENTED



THE KEYSTONE® SERIES

HEAVY DUTY DESIGN WITH WEATHER RESISTANT GLASS-FILLED NYLON CONSTRUCTION



All Keystone® Latches are available in Nylon or Metal and in Black or White

TWO-SIDED LOCKABLE LATCH

KLADV-P2-BK Black (Nylon)

- ▶ Locking feature accessible from both sides
- ▶ Reversible for right-hand or left-hand use
- ▶ Glass-filled nylon housing
- ▶ Thumb release button on one side, gravity latch lever on opposite side
- ▶ Stainless steel screws included
- ▶ 20 each per case @ 23 lbs



ONE-SIDED LOCKABLE LATCH

KLADV-P1-BK Black

- ▶ Same as KLADV-P2 above but with locking (gravity latch lever) on one side
- ▶ 20 each per case @ 17 lbs



KLADV-M1-BK Black (Zinc diecast)

- ▶ 20 each per case @ 31 lbs

KLADV-M2-BK Black (Zinc diecast)

- ▶ Same as KLADV-P2 but with zinc die cast housing
- ▶ 20 each per case @ 48 lbs



Heavy Duty Striker Design on every Keystone® Latch


All Keystone® 2-Sided Latches are packed with a durable Plastic Marking Template for installation.

PATENTED



THE KEYSTONE® X-EXTERNAL MOUNT LATCH

**BEST STAINLESS STEEL EXTERNAL
SPINDLE DESIGN IN THE INDUSTRY**



NO NEED TO DRILL SPINDLE HOLES!



TWO-SIDED

KLX-P2-BK Black (Nylon)

- ▶ Marked in 1/2" increments for quick, easy and accurate fitting to post sizes 2"- 5"
- ▶ Flat design safely encloses spindle ends
- ▶ 20 each per case @ 22 lbs

ONE-SIDED

KLX-P1-BK Black (Nylon)

- ▶ Features Latch only
- ▶ 20 each per case @ 15 lbs

FOR THICKER POSTS

KLX-Spindle-10

- ▶ Longer spindle for gate posts over 5" thick



Heavy Duty Striker Design on every Keystone® Latch offering Greater Strength and More Adjustability

SAME KLX LATCH, WITH SLIMLINE DESIGN!

KLX2-P2-BK Black

- ▶ Slimline design
- ▶ 20 each per case @ 20 lbs


KLX2-P1-BK Black

- ▶ Features Latch only
- ▶ 20 each per case @ 13 lbs



PATENTED

NEW! KEYSTONE® PANICLATCH™



KPL-P2-BK Black

- ▶ Self-Locking anti-tamper design
- ▶ Easy exit with large button
- ▶ Secure Entry with 6 pin key
- ▶ 6 each per case @20lbs

PATENTED



MAGNETIC LATCH


- ▶ Self-latching and key-lockable
- ▶ Glass-filled nylon material for low maintenance, strength and durability
- ▶ Locks & unlocks from either side
- ▶ Reversible for left or right hand use without changing components

Number	Qty/Case	Weight
MANTA-L-BK	12	21 lbs
MANTA-L-WH	12	21 lbs



WOOD FENCE LATCHES AND GATE KITS

LOCK THRU™ LATCH




LT1-BK

- ▶ Open the padlock from either side of the gate
- ▶ Simple to lock or unlock as the latch rotates to you
- ▶ Zinc-plated steel & powder coated
- ▶ Mounting hardware included (padlock not included)
- ▶ Compatible with left or right hand gates
- ▶ 20 each per case @ 24 lbs
- ▶ Patent pending



CONTEMPORARY WALK GATE KIT



WI-CWGK (NW38948CQ)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" double strap hinges, post latch and 9" handle
- ▶ 10 kits per case @ 53 lbs



WI-CWGK-T (NW38948CTQ)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" T-hinge, post latch and 9" handle
- ▶ 10 kits per case @ 50 lbs


CONTEMPORARY DRIVE GATE KIT

WI-MBDDK (NW38949CQ)

- ▶ Same as NW38948CQ kit with an additional 24" drop rod and pair of hinges (includes 2 pair of hinges)
- ▶ 6 kits per case @ 63 lbs



TRADITIONAL WALK GATE KIT



WI-TWGK (NW38948Q)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" double strap hinges, post latch with return spring and 9" handle
- ▶ 10 kits per case @ 47 lbs

NW38948TQ

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" T-hinge, post latch with return spring and 9" handle
- ▶ 10 kits per case @ 48 lbs

TRADITIONAL DRIVE GATE KIT

NW38949Q

- ▶ Same as NW38948TQ kit with an additional 24" drop rod and pair of hinges (includes 2 pair of hinges)
- ▶ 6 kits per case @ 58 lbs

WESTERN WALK GATE KIT

WI-WWGK (NW38948WQ)


- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" double strap hinges, post latch with return spring and 9" handle
- ▶ 10 kits per case @ 51 lbs

WI-BTWGK (NW38948WTQ)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Includes: pair of 8" T-hinge, post latch with return spring and 9" handle
- ▶ 10 kits per case @ 44 lbs

WI-WWGK-3H (NW38948WQ-3H)

- ▶ Same as above but with 3 hinges.



WESTERN DRIVE GATE KIT

NW38949W24

- ▶ Same as NW38948WQ kit with an additional 24" drop rod and pair of hinges (includes 2 pair of hinges)
- ▶ 6 kits per case @ 62 lbs



WOOD GATE DROP RODS, GATE WHEELS AND CAPS

HEAVY DUTY DROP RODS

- 18"** NW38305-18Q (WI-DR-18) - Zinc plate steel Black finish
 ▶ 20 each per case @ 36 lbs
 NW38305-18/ZP - Zinc plate steel- unpainted
 ▶ 20 each per case @ 36 lbs
- 24"** NW38305-24Q (WI-DR-24) - Zinc plate steel Black finish
 ▶ 20 each per case @ 44 lbs
 NW38305-24-76Q (WI-DR-24Z) - Zinc plate steel unpainted
 ▶ 20 each per case @ 44 lbs
 NW38305-24SS - Stainless steel - unpainted
 ▶ 20 each per case @ 44 lbs
 NW38305-24SSB - Stainless steel with Black finish
 ▶ 20 each per case @ 44 lbs
 NW38305-24SSW - Stainless steel with White finish
 ▶ 20 each per case @ 44 lbs
- 36"** NW38305-36Q (WI-DR-36) - Zinc plate steel Black finish
 ▶ 20 each per case @ 64 lbs
- 48"** NW38305-48Q (WI-DR-48) - Zinc plate steel Black finish
 ▶ 10 each per case @ 41 lbs
- ▶ 5/8" diameter
 - ▶ Screws included
 - ▶ Dual guides
 - ▶ Pad-lockable
 - ▶ Retention-ears for theft prevention



Also Available
in Hammered
Bronze



DROP RODS WITH HOLDER

- NW38305H-24Q
 NW38305H-36Q
 NW38305H-48Q
 ▶ No locking nibs
 ▶ Includes holder for "up" position

COMMERCIAL DROP RODS

- 24"** NW6270-24BK Black
 NW6270-24HDG Hot Dip Galvanized
 ▶ 10 each per case @ 46 lbs
- 36"** NW6270-36BK Black
 NW6270-36HDG Hot Dip Galvanized
 ▶ 10 each per case @ 55 lbs
- 48"** NW6270-48BK Black
 NW6270-48HDG Hot Dip Galvanized
 ▶ 5 each per case @ 36 lbs
- ▶ Heavy duty 1" O.D. drop rod
 - ▶ Zinc plated, powder coated steel
 - ▶ Through bolt design
 - ▶ Can be used on vinyl, wood, aluminum or steel gates



GATE WHEELS

- GW2-BK Black (For Wood Gates)
 ▶ Zinc plated steel with powder-coated finish
 ▶ Composite wheel designed for rougher uneven surfaces and large temperature ranges
 ▶ Swivel design for ease of use
 ▶ Easily reversible for use on left or right-handed gates
 ▶ Nationwide's V-notch™ styling
 ▶ May be installed on any flat surface
 ▶ Lag screws included
 ▶ 10 each per case @ 38 lbs



PLASTIC CAPS

4" Wood Post Plastic Cap

- NW287-21 (WI-WPC-4)
 ▶ Fits a 4 x 4 post measuring 3 5/8" square
 ▶ 500 each per case @ 37 lbs



6" Wood Post Plastic Cap

- NW298-21 (WI-WPC-6)
 ▶ Fits a 6 x 6 post measuring 5 3/4" square
 ▶ 200 each per case @ 35 lbs
 ▶ Logo option available (minimum quantity required)
 ▶ Also available without top hole (minimum quantity required)

COMMERCIAL PAD LOCKABLE DROP RODS

- 24"** NW6270L-24BK Black
 NW6270L-24HDG Hot Dip Galvanized
 ▶ 10 each per case @ 46 lbs
- 36"** NW6270L-36BK Black
 NW6270L-36HDG Hot Dip Galvanized
 ▶ 10 each per case @ 55 lbs
- 48"** NW6270L-48BK Black
 NW6270L-48HDG Hot Dip Galvanized
 ▶ 5 each per case @ 36 lbs



WOOD FENCE LATCHES AND GATE KITS

MITER-LESS WOOD CAPS

These slip-over, Miter-less wood caps are made from a single solid block of mahogany wood. Eliminating the miter joints has solved the age old problem of post caps splitting at the corners. By making the cap out of one solid piece of wood, it has eliminated the need for any glue or staples to hold the cap together.



Made From
High Quality
Mahogany
Wood

Traditional

WPC-312-TRD

- › Fits a standard 4 x 4 post measuring 3 1/2" square
- › 54 per case @ 35 lbs

WPC-334-TRD

- › Fits a 4 x 4 post measuring 3 3/4" square
- › 45 per case @ 35 lbs



Pyramid

WPC-312-PYR

- › Fits a standard 4 x 4 post measuring 3 1/2" square
- › 45 per case @ 35 lbs

WPC-334-PYR

- › Fits a 4 x 4 post measuring 3 3/4" square
- › 54 per case @ 35 lbs



New England

WPC-312-NWENG

- › Fits a standard 4 x 4 post measuring 3 1/2" square
- › 45 per case @ 35 lbs

WPC-334-NWENG

- › Fits a 4 x 4 post measuring 3 3/4" square
- › 45 per case @ 35 lbs

WPC-534-NWENG

- › Fits a 6 x 6 post measuring 5 1/2 to 5 3/4" square
- › 20 per case @ 45 lbs



Guaranteed not to
separate at corners



theirs



ours

COPPER AND STAINLESS STEEL CAPS

The 20 gauge copper post caps are made of 100% copper and have a natural look that will patina to a green color over time. The stainless steel caps are 20 gauge stainless steel. The caps will fit 4 X 4 and 6 X 6 posts and include 2 screws for mounting.

Copper

WPC-312-COPP

- › Fits a standard 4 x 4 post measuring 3 1/2" square
- › 25 per case @ 6 lbs

WPC-534-COPP

- › Fits a 6 x 6 post measuring 5 1/2 to 5 3/4" square
- › 25 per case @ 11 lbs



Stainless Steel

WPC-312-SS

- › Fits a standard 4 x 4 post measuring 3 1/2" square
- › 25 per case @ 6 lbs

WPC-534-SS

- › Fits a 6 x 6 post measuring 5 1/2 to 5 3/4" square
- › 25 per case @ 11 lbs



METAL-WOOD COMBINATION

4 X 4 Post Size Only

- › Order a copper or stainless steel cap and a Traditional 4 X 4 Miter-less wood cap for a metal-wood combination



WPC-312-COPP
WPC-312-TRD



WPC-312-SS
WPC-312-TRD

TRUE SIZE CAPS

For 4", 5" and 6" True Post Sizes, Special Order

WPC-400-NWENG - for 4"

WPC-500-PYR- for 5"

WPC-600-NWENG - for 6"

- › Contact Customer Service for minimum quantities and lead time

BRACES, FRAMES, BUMPERS AND CLOSERS

GATE BRACES FOR VINYL AND WOOD FENCES

THE COST-EFFECTIVE BRACE THAT WORKS!



Sturdy Attachment Brackets

Adjustable

Guards Against Sagging and Warping

NW-GSP-BK

- ▶ Quick and Easy Installation
- ▶ Fits 36" to 72" Wood Gates
- ▶ 6 per case @ 20lbs

WI-AGF

- ▶ Zinc plate polyester coated
- ▶ Fits 3' X 3' to 6' X 6' gates
- ▶ Cross brace included to set final destination
- ▶ 1/Case



GATE SAVER PRO

NW6132 Black or White

- ▶ 43" x 3" x 3"



WOOD GATE FRAME

NW6260-SB-BK Black, Short with attached hinges for 3' or 4' gates

NW6260-TB-BK Black, Tall with attached hinges for 5' or 6' gates

NW6260NH-SB-BK Black, Short without hinges for 3' or 4' gates

NW6260NH-TB-BK Black, Tall without hinges for 5' or 6' gates

- ▶ Powder coated steel
- ▶ 1/Case

To Assemble:

1. Cut (2) 2 x 4's 2" shorter than the gate opening
2. Attach 2 X 4's to frame with enclosed screws
3. Nail gate boards to 2 x 4's
4. Mount gate to fence post using the lag screws enclosed

Avoid sagging & warping with easy-to-make gates.

NYLON GATE HANDLE WITH BUMPER

WI-NGH-SB (NW6143S-BK) Black

WI-NGH-SB-WH (NW6143S-WH) White

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5" and handle is 1" deep
- ▶ Very comfortable and easy to grasp
- ▶ Stainless steel screws included
- ▶ 50 each per case @ 25 lbs



Avoids Damage

Rubber pad backing absorbs gate slamming shock, reducing latch wear

NYLON GATE BUMPER

NW6186-SD-BK

NW6186-SD-WH

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5"
- ▶ Stainless steel screws included
- ▶ 50 each per case @ 22 lbs



Avoids Damage

HYDRAULIC GATE CLOSERS



GC2-BK Black

GC2-WH White

- ▶ Works with gates up to 125 lbs
- ▶ Works with gates widths up to 54"
- ▶ Adjustable closing speed and adjustable latching speed
- ▶ 90° hold open feature
- ▶ Maximum opening of 90°
- ▶ Powder coated steel
- ▶ 12 each per case @ 30 lbs

GC1-BK Black

- ▶ Works with gates up to 150 lbs
- ▶ Works with gates widths up to 54"
- ▶ Adjustable closing speed
- ▶ 90° hold open feature
- ▶ Powder coated steel
- ▶ 8 each per case @ 43 lbs

PATENTED

SHOTGUN® GATE CLOSER

CONTROLLED CLOSING POWER TO AVOID GATE SLAMMING

SHOTGUN-BK Black

SHOTGUN-SC Satin Chrome

- ▶ One SKU closes any gate up to 250lbs*
- ▶ Anti-slam technology
- ▶ Adjustable closing speed
- ▶ No oil therefore no leaks
- ▶ 10 per case @ 67lbs



Double barrel closing power

*Tested on a 6' high, 6' wide. Needs a gate stop at 90 degrees

WOOD FENCE HANDLES AND ACCESSORIES

6" STANDARD GATE HANDLE

NW257-26Q (WI-SGH-6) Black
NW257-56 (WI-SGH-6W) White

- ▶ Zinc plate steel
- ▶ Screws included
- ▶ 100 each per case @ 19 lbs
- ▶ Also available in quantities of 50



9" STANDARD GATE HANDLE

NW38398Q (WI-SGH-9)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ 100 each per case @ 31 lbs
- ▶ Also available in quantities of 50



Also Available in Hammered Bronze

9" ORNAMENTAL GATE HANDLE

NW38396Q (WI-OGH-9)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Does not match or fit handle from the NW38307 Thumb Latch Kit
- ▶ 100 each per case @ 43 lbs
- ▶ Also available in quantities of 50



11" ORNAMENTAL GATE HANDLE

NW38307HANDLE

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Matches and fits the handle from the NW38307 Thumb Latch Kit
- ▶ 100 each per case @ 43 lbs
- ▶ Also available in quantities of 50



NYLON GATE HANDLE

NW314S-BK Black (WI-NGH)

NW314S-WH White (WI-NGH-W)

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 1.5"(W) x 1.25"(D) for durable attachment
- ▶ Overall height is 5" and handle is .75" deep
- ▶ Very comfortable and easy to grasp
- ▶ Stainless steel screws included
- ▶ 50 each per case @ 8 lbs



2" X 4" RAIL MOUNTING BRACKET - STEEL

NW288-MI (WI-RMB-2x4)

- ▶ Zinc plate steel finish
- ▶ 400 each per case @ 45 lbs

NW288-GV (WI-RMB-2x4-HDG)

- ▶ HDG finish
- ▶ 400 each per case @ 45 lbs



CHAIN LINK TO WOOD PANEL BRACKET

NW6287-PG (WI-WSA-A) 2-3/8"

- ▶ Pre-Galvanized
- ▶ No screws included
- ▶ Chain Link Post to Wood Panels
- ▶ 50 each per case @ 23 lbs



CL-8000 1-5/8"

CL-8001 (WI-SWAMB-2) 2"

CL-8002 (WI-SWAMB-2.5) 2.5"

CL-8010 (WI-SWAMB-3) 3"

- ▶ Adjustable Chain Link to Wood brackets
- ▶ 25 each per case
- ▶ Available in black



CL-8009 (WI-SWMB)

- ▶ 2-3/8" Chain Link to Wood Adaptor
- ▶ 50 each per case



CHAIN LINK TO WOOD PANEL BRACKET

CL-8003 1-5/8"


CL-8004 1-7/8"

CL-8005 2-3/8"

CL-8008 2-7/8"

CL-8011 (WI-WSA-BASE2) 2-3/8"

- ▶ Chain Link to Wood Adaptor
- ▶ One-piece top clamp with one-piece base
- ▶ Carriage bolts included
- ▶ 100 per case



WOOD FENCE HANDLES AND ACCESSORIES

DIE CAST PLUG

WI-DCP

- ▶ 2-1/2" diameter Die cast Plug
- ▶ Aluminum A360 Alloy
- ▶ 200 each per case @ 30 lbs



10" GATE SPRING

NW38304-PQ (WI-GS-13)

- ▶ Zinc plate steel with black finish
- ▶ Screws with black finish
- ▶ Adjustable tension
- ▶ 40 each per case @ 53 lbs



LAG SCREWS

NW5162

- ▶ Zinc plate steel with black finish
- ▶ 5/16" X 2"
- ▶ 850 per case @ 33 lbs

NW5162Q

- ▶ HDG steel with black finish
- ▶ 5/16" X 2"
- ▶ 850 each per case @ 33 lbs



WI-LAGSCREW-2

- ▶ Zinc plate steel with black finish
- ▶ 5/16" X 2"
- ▶ 1200 per case @ 45 lbs

WI-LAGSCREW-3

- ▶ Zinc plate steel with black finish
- ▶ 5/16" X 3"
- ▶ 750 per case @ 40 lbs



GATE ANTI-SAG KIT – STEEL

NW38309Q (WI-ASGK)

- ▶ Zinc plate steel finish
- ▶ Screws with zinc plate finish
- ▶ Cable length is 9'
- ▶ 50 kits per case @ 31 lbs



NW38309-SSM

- ▶ Same as NW38309Q but in stainless steel with mill finish

STEEL ANTI-SAG KITS

NW6296-BK (WI-STBK-D-BK)

Steel Cable with Black Plastic Coating

NW6296-CL (WI-STBK-D-CL)

Steel Cable with Clear Plastic Coating

NW6296-WH (WI-STBK-D-WH)

Steel Cable with White Plastic Coating

- ▶ Cable Length is 9'
- ▶ 50 each per case



POST HOLE DIGGERS & TOOLS

WI-006

- ▶ Wood Handle
- ▶ 1/Case



WI-CB06

- ▶ Torque Bar
- ▶ 1/Case
- ▶ CB06



NATIONWIDE INDUSTRIES™

Phone: (813) 988-2628 • Fax (866) 988-3465
www.nationwideindustries.com • info@nationwideindustries.com

